

Department of Energy

Richland Operations Office P.O. Box 550 Richland, Washington 99352

MAY 25 1895

Mr. Steve M. Alexander
Section Manager
Perimeter Areas
Nuclear Waste Program
State of Washington
Department of Ecology
1315 West Fourth Avenue
Kennewick, Washington 99336

Dear Mr. Alexander:

HANFORD FACILITY DANGEROUS WASTE PERMIT APPLICATION, PART A, FORM 3, REVISION 4 FOR THE 300 AREA PROCESS TRENCHES LAND DISPOSAL UNIT

Enclosed is the Hanford Facility Dangerous Waste Permit Application, Part A, Form 3, Revision 4 for the 300 Area Process Trenches Land Disposal Unit. The 300 Area Process Trenches Land Disposal Unit received radioactive, dangerous, and mixed wastes from Hanford Site Operations in the 300 Area. The 300 Area Process Trenches Unit was in operation from March 1975 to December 1994. A RCRA Interim Status Closure Plan has been submitted for this Unit.

The Part A, Form 3, Revision 4 for the 300 Area Process Trenches Unit is being submitted due to a change in the co-operator. Responsibility for management of this unit is being changed from Westinghouse Hanford Company to Bechtel Hanford, Inc. Therefore, a new signature page, with the appropriate certification, is being submitted in Revision 4 to reflect the change.



Mr. Steve M. Alexander 95-PCA-319

-2-

Should you have any questions regarding the Part A, Form 3, Revision 4 for the 300 Area Process Trenches Land Disposal Unit, please contact Mr. C. E. Clark of the U.S. Department of Energy, Richland Operations Office at (509) 376-9333 or Ms. L. A. Mihalik of Bechtel Hanford, Inc. at (509) 375-9426.

Sincerely.

kal James E. Rasmussen, Director Environmental Assurance, Permits, and Policy Division

DOE Richland Operations Office

EAP:CEC

S. D. Liedle Vice President

Bechtel Hanford, Inc.

Enclosure:

Hanford Facility Dangerous Waste Permit Application, Part A, Form 3, Revision 4 for the 300 Area Process Trenches Land Disposal Unit.

cc w/encl:

EDMC, H6-08

- L. Mihalik, BHI
- D. Duncan, EPA
- M. Jaraysi, Ecology
- T. Wooley, Ecology
- R. Jim, YIN
- D. Powaukee, NPT
- S. Price, WHC
- D. Sherwood, EPA
- J. Wilkerson, CTUIR

Please print or type in the unshaded areas only

1. EPA/STATE I.D. NUMBER																						
	3			DANG	ERC	US WA	ST	Έ	PE	Rľ	VII	T	AF	PL	.IC	ATION	1. EPA/			О		9
				JSE ONLY																		
AP A	PLICATION DATE RECEIVED COMMENTS PPROVED (mo., day, & yr.)																					
				EVISED APPLICATION																		
aDD	licati	on.	lf t	the appropriate box it his is your first applic Section I above.	n A or B	below (mark one d you already kr	o bo	your	ly) to	indi lity's	icati EP	e w A/S	hethe TATE	r this I.D.	Num	ne first application you are s ber, or if this is a revised ap	ubmitting plication,	for your fi	faci	ity's	EPA	JST.
A.	FIRS	TA	PPI	ICATION (place en ")	(" balow	and provide the	apj	ropi	riata	dete	7											
			1.	EXISTING FACILITY (See insti Complete	ructions for defi item below.)	ritio	n of	"exi	sting	fe	cilit	у.			2. NEW FAC	ILITY (Co	mplata ita	m be	iow)		
		М О	5	1 6 7 5 %	PERATIC se the b	TING FACILITIES ON BEGAN OR TI oxes to the left)	ie C)A 1E	CO	NS11	IUC	E /m	no., da N CO	MME	NCE	MO. DAY		FOR NEW INTO THE PROVIDE TO THE PROVIDE TO THE PROVIDE TO THE PROVIDED TO THE	HE D	ATE OP RIS	ÉRA	-
В.				PPLICATION <i>(piece en</i> FACILITY HAS AN IN			a Se	ctio	n í ø	bova)					2. FACILITY	HAS A F	INAL PERM	AIT			
111.	PRC	CE	SSE	S - CODES AND CAP	ACITIES		_				_											
A.	PROC	CES 6.	S C If m	ODE - Enter the code ore lines are needed, luding its design caps	from the enter the city) in t	e code(s) in the the space provid	ed c	e pr	e (S	ed. ectio	11 & n ///	Proc -C).	COS# \	wi∐ b	e use	rocess to be used at the fac sd that is not included in the	lity. Ten list of co	lines are des below	provi , the	ded eb n	or e crib	nter:
В.	PRO	ŒS	5 D	ESIGN CAPACITY - F	or each o	code entered in o	olu	nn A	ent	er th	e c	BP AC	city of	f the	proc	056.						
				- Enter the amount.			_											_				
				MEASURE - For each units of measure that						the	cod	ie fr	rom ti	10 lis	t of u	unit measure codes below th	at describ	es the uni	it of	meac	ure	usec
			F	ROCESS	PRO- CESS CODE	APPROPRIAT MEASURE FO DESIGN O)R P	ROC	ESS							PROCESS	PRO- CESS CODE	APPRO MEASI DES	URE	FOR CAF	PRO	CES
	Store	ng e	:							_					Trest	tment:						
	CON		NEF	(barrel, drum, etc)	S01 S02	GALLONS OR I	ITE	RS RS							TAN	TO1	01 GALLONS PER DAY OR LITERS PER DAY					
	WAS		PILI	Ī	503	CUBIC YARDS CUBIC METERS	OR								SURF	FACE IMPOUNDMENT	T02	T02 GALLONS PER DAY OR LITERS PER DAY				
	SURI	FAC	E I	POUNDMENT	504	GALLONS OR	.ITE	RS							INCI	NERATOR	TO3 TONS PER HOUR OR METRIC TONS PER HOUR:					
	Disp																	GALLON LITERS	is pe Per i	HOU!	YUR 1	OR
	LAN	OFI	LL	WELL	D80 D81	GALLONS OR I ACRE-FEET (the would cover on depth of one for	# VO	/ume														
	I ANI	η Δ	PPI	ICATION	D82	OR HECTARE-N	ΛΕΠ								surta	ice impoundments or inciner. Describe the processes in	-					
	OCE	AN	DIS	POSAL	D83	GALLONS PER	ĎA,	/ OR	l .	the space provided; Section III-C.)												
	SURI	FAC	Œ II	MPOUNDMENT	D84	GALLONS OR	.ITE	RS							1 11	NIT OF						
	UNIT	· OF	: ME	ASURE	UNIT OF MEASUR CODE	E		UNC	r of	MEA	su	RE			ME	ASURE	IT OF ME	ASURE			ME	ASU CODE
	GAL	LON	ıs.			— 0		LITE	RS F	ER C	AY					V AC						
	LITE	RS C Y	ÀŔ	os		Ĺ Y		TON MET	S PE	R HO	SUR S Pi	i. ER H	iour			W AC	RES	ETER				
	CUBI GALI	CV	AETI IS P	OSRSER DAY	::::::	C		GAL	LON RS F	s pei Er h	r H IOU	NUI R	R	:::		HE	CTARES .	• • • • • • •	• • •	• • •	• • •	• • •
				EXAMPLE FOR COM	PLETING	SECTION III (si	gel	n in . Iona.	line i	o fac	era :ility	X-I	i and	X-2 an i	<i>belov</i> ncine	vi: A facility has two stores	e tenks,	one tenk o	an			_
	ı A.	PE	_			IGN CAPACITY	<u> </u>								PRO-	B. PROCESS D					Τ	
LL		ES:	s l		ASOLINIT		2. OF	ME	1T A-	FOR OFFICIAL			l M	CE	SS		<u> </u>			UNI		FC OFFIC
N E	(fre	m ove			MOUNT ecify)		5	URE		OV.	SE ILY		N B	(froi	n list ove)	1. AMOU (specify			S	URE nter		OV Oč
<u> </u>	<u> </u>						0	ode)	' 			_	R						C4	ode)	┺	_
X-1	s	٥	2	2 600 G			_			5							\perp					
X-2	+-	0	3		20		_	E	_		_	Ц	6		-					_ _	-	_
1	D	8	4	11,356,	200		-	۷	-	-	-	Н	7		+				H	_	-	+
2	-	_					<u> </u>		+	+	-		8		+		_		-	\dashv	\bot	
3	\perp				·		<u> </u>	\sqcup	_	╀-	_		9	1	+		··				\downarrow	<u> </u>
4										\perp			10		\perp							

Continued from the front.

III. PROCESSES (continued)

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESS (code "TO4"). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY

D84

The 300 Area Process Trenches received nonregulated process cooling water from operations in the 300 Area of the Hanford Site. The process trenches also received dangerous waste from several research and development laboratories and from the fuels fabrication process. The waste was discharged to the 300 Area Process Trenches and allowed to percolate into the soil column underlying the trenches. The annual quantity of waste identified under item IV.B. reflects the total flow to the process trenches in one year, and not a volume of dangerous waste discharged to the unit. This estimate was made because accurate records are unavailable regarding dangerous waste volumes discharged to the trenches. The process trenches were designed to percolate up to 11,356,200 liters (3,000,000 gallons) per day of waste water. The 300 Area Process Trenches no longer receive dangerous waste and will be closed under interim status. The process design capacity reflects the maximum volume of water that was discharged daily, rather than the physical capacity of the

IV. DESCRIPTION OF DANGEROUS WASTES

unit.

- A. DANGEROUS WASTE NUMBER Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describes the characteristics and/or the toxic contaminants of those dangerous wastes.
- 8. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column 8 enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE CODE	METRIC UNIT OF MEASURE	CODE
POUNDS		

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. It more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of Item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

- Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- 2. In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "included with above" and make no other entries on that line.
- Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

EXAMPLE FOR COMPLETING SECTION IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

											D. PROCESSES											
N-ZE	.	A. DANGEROUS WASTE NO.			B. ESTIMATED ANNUAL QUANTITY OF WASTE		C. UNIT OF MEA- SURE (enter code)													2. PROCESS DESCRIPTION (if a code is not entered in D(1))		
X	,	ĸ	σ	б	T	1	900		Р		r^{\top}	οT	3	D	8	0	Ī	_1				
X	2	o	0	0	1		400		p		τ^{\dagger}	0	3	ام	8	0						
x.	3	D	0	0	1	1	100		ρ		7	o	3	D	В	o	1	1		1		
X	4	D	0	0		?				1	7	σ	3	ام	8	0	Ī					included with above

300 Area Process Trenches Rev. 4, 05/95/95, Page 3 of 7

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) WA7890008967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) (enter code) code/ K <u>Percolation</u> plolol 453,592,370 D84 00 D 3 0001 0 0 2 5 | o| 3 0 0 0 5 7 2 0 1 2 Included With Above T 0 9 10 TT 11 12 13 I 14 \mathbf{I} 15 16 17 \Box 18 19 20 ТΤ 21 22 ТΠ TT23 24 25 11 26

Continued from the front.

IV.	DESCRIPTION	OF	DANGEROUS	WASTES	(continued)

E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CODES FROM SECTION D(1) ON PAGE 3.

The 300 Area Process Trenches received dangerous waste discharges from research and development laboratories in the 300 Area and from the fuels fabrication process. This waste consisted of state-only toxic, dangerous waste (WTO2), discarded chemical product (U210), corrosive waste (D002), chromium (D007), spent halogenated solvents (F001, F002, and F003), and spent nonhalogenated solvent (F005). Accurate records are unavailable concerning the amount of dangerous waste discharged to the trenches. The estimated annual quantity of waste (item IV.B.) reflects the total quantity of both regulated and nonregulated waste water that was discharged to the unit in one year.

V. FACILITY DRAWING : Refer to attached dr	awing.	
All existing facilities must include in the space provided on pa	ge 5 a scale drawing of the facility (see instructions for more detail	и.
VI. PHOTOGRAPHS Refer to attached ph	otographs.	
All existing facilities must include photographs (serial or groun sites of future storage, treatment or disposal areas (see instru	nd-level) that clearly delineate all existing structures; existing stora actions for more details.	ge, treatment and disposal areas; and
VII. FACILITY GEOGRAPHIC LOCATION This	information is provided on the attached dra	awings and photos.
LATITUDE (degrees, minutes, & seconds	(degrees	, minutes, & seconds)
VIII. FACILITY OWNER		
A. If the facility owner is also the facility operator as listeness. B. If the facility owner is not the facility operator as listed.	d in Section VII on Form 1, "General Information", place an "X" in	the box to the left and skip to Section
B. If the facility owner is not the facility operator as listed	in Section VII on Form 1, complete the following items:	
1. NAME OF F	ACILITY'S LEGAL OWNER	2. PHONE NO. (area code &
3, STREET OR P.O. BOX	4, CITY OR TOWN	5. ST. 6. ZIP CODE
IX, OWNER CERTIFICATION		
	end em femilier with the information submitted in this end all attac ng the information, I believe that the submitted information is true, including the possibility of fine and imprisonment.	
NAME <i>(print or type)</i> John D. Wagoner, Manager U.S. Department of Energy Richland Operations Office	Hy Willagoun	SL25/95
X. OPERATOR CERTIFICATION		
I certify under penalty of law that I have personally examined inquiry of those individuals immediately responsible for obtaine there are significant penalties for submitting false information,	and/am familiar with the information submitted in this and all attac ng the information, I believe that the submitted information is true, including the possibility of fine and imprisonment.	hed documents, and that based on m accurate, and complete. I am aware
NAME (print or type)	SIGNATURE	DATE SIGNED
SEE ATTACHMENT		

100 074 CCV 030-31 Form

300 Area Process Trenches Rev. 4, 05/25/95, Page 5 of 7

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.


Owner/Operator

John D. Wagoner, Manager U.S. Department of Energy Richland Operations Office 5(25/95 Date

Co-poperator

Joseph F. Nemec, President Bechtel Hanford, Inc. 7/d Datle

300 Area Process Trenches



300 Area Process Trenches Rev. 4, 05/25/95, Page 6 of 7

300 AREA PROCESS TRENCHES



46°22'30.195" 119°16'26.658" 93050254.48CN (PHOTO TAKEN 1993)